

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L2 | 1479 | (Rack) same (power near4 (strip bar outlets tap receptacles)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 12:17 |
| L3 | 33 | (Rack) same (power near4 (strip bar outlets tap receptacles)) same (display\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 12:18 |
| L4 | 10 | (Rack) same (power near4 (strip bar outlets tap receptacles)) same (display\$5) near4 (current power) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 12:28 |
| L5 | 2 | (power near5 strip) and (current near5 level near5 alarm) | US-PGPUB | OR | ON | 2006/01/06 12:25 |
| L6 | 928 | (power near4 (strip bar outlets tap receptacles)) and (display\$5) near4 (current power) | US-PGPUB | OR | ON | 2006/01/06 13:19 |
| L7 | 104 | (power near4 (strip bar outlets tap receptacles)) and (display\$5) near4 (current power) and (rack) | US-PGPUB | OR | ON | 2006/01/06 13:18 |
| L8 | 1523 | 361/601,622,624,626,627,641.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 13:19 |
| L10 | 11 | (power near4 (strip bar outlets tap receptacles)) and (display\$5) near4 (current power) and l8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 13:27 |
| L11 | 613 | 713/340.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 13:22 |
| L12 | 22 | (power near4 (strip bar outlets tap receptacles)) and (display\$5) near4 (current power) and l11 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 13:27 |
| L13 | 267 | 439/652.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 13:27 |
| L14 | 3 | (power near4 (strip bar outlets tap receptacles)) and (display\$5) near4 (current power) and l13 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 13:28 |
| L15 | 588 | 337/186.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 13:28 |

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| L16 | 1 | (power near4 (strip bar outlets tap receptacles)) and (display\$5) near4 (current power) and I15 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 13:29 |
| L17 | 5377 | 307/11,18,31,32,36,37,43,149,150,155.ccls | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 13:29 |
| L18 | 24 | (power near4 (strip bar outlets tap receptacles)) and (display\$5) near4 (current power) and I17 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 13:32 |
| L19 | 41284 | "709"/\$ ccls | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 13:32 |
| L20 | 60 | (power near4 (strip bar outlets tap receptacles)) and (display\$5) near4 (current power) and I19 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 13:40 |
| L21 | 11 | (power near4 (strip)) and (display\$5) near4 (current power) and I19 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 13:40 |
| L22 | 362 | (power near4 (strip)) and (display\$5) near4 (current power) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 13:42 |
| L23 | 32 | (power near4 (strip)) near3 (display\$5) near4 (current power) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 13:40 |
| L24 | 60 | (power near4 (strip)) and (display\$5) near4 (current power) and (rack) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 13:42 |
| S1 | 20 | (embed\$7) near2 (synch\$8) near2 (bit pulse tone code) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/19 11:07 |
| S2 | 0 | (rack adj mount) near10 (smart intelligent control\$5) near10 (power plug) near10 (distribution strip outlets) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/13 09:26 |
| S3 | 7352 | (smart intelligent control\$5) near10 (power plug) near10 (distribution strip outlets) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/13 13:46 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S4 | 80 | (power) near10 (bar strip outlets receptacles tap) same (ammeter (current adj display)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/13 09:49 |
| S5 | 2 | "5949974".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/13 09:33 |
| S6 | 2 | "6711613".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/13 09:38 |
| S7 | 2 | "5424903".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/13 11:33 |
| S8 | 73 | (digital) adj (ammeter (current adj display)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/13 09:50 |
| S9 | 2 | "5619722".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 10:57 |
| S10 | 29 | "709"/\$.ccls. and (smart intelligent controll\$5) near10 (power plug) near10 (distribution strip outlets) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/13 13:47 |
| S11 | 2 | ("6507729".pn.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 11:15 |
| S12 | 2 | "6507729".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 11:17 |
| S13 | 2 | "6476729".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 11:18 |
| S14 | 2812 | (section\$5 partition\$5 modular\$5 modul\$5 segment\$5 fragment\$5) near4 (power AC supply) near4 (brick strip tap outlets) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/01 09:41 |
| S15 | 755 | (section\$5 partition\$5 modular\$5 modul\$5 segment\$5 fragment\$5) near2 (power AC supply) near2 (brick strip tap outlets) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 11:20 |
| S16 | 195 | (section\$5 partition\$5 modular\$5 modul\$5 segment\$5 fragment\$5) near2 (power AC) near2 (brick strip tap) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 11:20 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S17 | 643 | (section\$5 partition\$5 modular\$5 modul\$5 segment\$5 fragment\$5) near4 (power) near4 (brick strip tap) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 11:21 |
| S18 | 1802 | (section\$5 partition\$5 segment\$5 fragment\$5) near4 (power AC supply) near4 (brick strip tap outlets) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 11:22 |
| S19 | 597 | (section\$5 partition\$5 segment\$5) near4 (power AC) near4 (brick strip tap outlets) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 11:22 |
| S20 | 2 | "6445087".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 13:38 |
| S21 | 2 | "5721934".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 13:46 |
| S22 | 2 | "5742466".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 13:47 |
| S23 | 2 | "4907118".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 13:50 |
| S24 | 2 | "5387125".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 14:18 |
| S25 | 2 | "6507729".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 14:20 |
| S26 | 2 | "6507273".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/20 14:20 |
| S27 | 67 | "307"/\$.ccls. and (section\$5 partition\$5 modular\$5 modul\$5 segment\$5 fragment\$5) near4 (power AC supply) near4 (brick strip tap outlets) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/01 10:46 |
| S28 | 2 | "6445087".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/01 10:46 |
| S29 | 1 | "5689242".PN. | USPAT; USOCR | OR | ON | 2005/08/01 12:44 |
| S30 | 3 | (power near5 strip) and (current near5 level near5 alarm) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 12:25 |

| | | | | | | |
|-----|---|---------------|---|----|----|------------------|
| S31 | 2 | "6476729".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/06 12:08 |
|-----|---|---------------|---|----|----|------------------|

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|---|------------------|---------|------------------|
| S120 | 1 | (remote near3 power near3 reboot) and ((power remote) near10 (outlet receptacle appliance)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 14:10 |
| S121 | 3 | (remote near3 power near3 reboot) and (outlet receptacle appliance) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 13:59 |
| S122 | 0 | (remote near3 power near3 reboot) and (home house residence) near5 (appliance (coffee adj maker)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 17:02 |
| S123 | 11 | (remote near3 power near3 reboot) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 17:10 |
| S124 | 15 | (remote near3 power near3 (on and off)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/07 09:05 |
| S125 | 2 | "5949974".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/07 10:07 |
| S126 | 2 | "6711613".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/22 09:53 |
| S127 | 1 | (remote near3 power near3 reboot) and ((select\$5 determin\$5) near10 (outlet receptacle appliance)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/07 14:06 |
| S128 | 71251 | (power near4 (manag\$5 monitor\$5)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/07 16:00 |
| S129 | 664 | S128 and (SNMP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/07 13:07 |
| S130 | 2 | "6292902".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/07 13:07 |

| | | | | | | |
|----------|------|---|---|----|----|------------------|
| S13 1 | 2196 | (relay) near10 (on off close open) near10 (outlet receptacle plug NEMA) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 09:46 |
| S13 2 | 0 | (relay) near10 (on off close open) near10 (outlet receptacle plug NEMA) same (SNMP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/07 14:04 |
| S13 3 | 2 | (relay) near10 (on off close open) near10 (outlet receptacle plug NEMA) and (SNMP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/07 14:04 |
| S13 4 | 10 | (relay) near10 (on off close open) near10 (outlet receptacle plug NEMA) and (internet) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/07 14:05 |
| S13 5 | 334 | S131 and ((select\$5 determin\$5) near10 (outlet receptacle appliance)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/07 14:23 |
| S13 6 | 1 | S135 and (SNMP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/07 14:12 |
| S13 7 | 2 | "5424903".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/07 14:12 |
| S13 8 | 120 | S131 and ((select\$5 determin\$5) near10 (outlet receptacle appliance)) and (detector sensor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/10 13:00 |
| S13 9 | 2 | "4675537".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/07 15:09 |
| S14 0 | 2 | "4368394".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/07 15:10 |
| S14 1 | 2 | "4747041".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/07 15:13 |

| | | | | | | |
|----------|------|---|---|----|----|------------------|
| S14 2 | 2 | "4647721".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/07 15:13 |
| S14 3 | 177 | 307/34,35,36,37,38.ccls. and (power near4 (manag\$5 monitor\$5)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/07 16:18 |
| S14 4 | 42 | 307/34,35,36,37,38.ccls. and (power near4 (strip bar brick)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/07 16:19 |
| S14 5 | 2 | "5359540".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/10 09:01 |
| S14 6 | 3 | (09/732557) and (ewing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/10 13:07 |
| S14 7 | 864 | (l2c near4 (bus)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/10 16:58 |
| S14 8 | 2196 | (relay) near10 (on off close open) near10 (outlet receptacle plug NEMA) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/10 13:00 |
| S14 9 | 0 | S148 and ((select\$5 determin\$5) near10 (outlet receptacle appliance)) and (detector sensor) and (l2c adj bus) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/10 13:01 |
| S15 0 | 2 | "5949974".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/10 16:20 |
| S15 1 | 2 | "6711613".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/10 13:02 |
| S15 2 | 3 | (09/732557) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/10 13:07 |

| | | | | | | |
|----------|------|--|---|----|----|------------------|
| S15 3 | 28 | (I2c near4 (bus)) and (I2C near4 (transceiver transmitter receiver)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/10 14:57 |
| S15 4 | 38 | (I2C near4 (transceiver transmitter receiver)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/10 15:04 |
| S15 5 | 28 | (I2c) and (power near5 (strip bar brick tap)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/10 16:59 |
| S15 6 | 23 | ((UPS) and (SNMP) and(IPM (intelligent adj power adj module))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/18 15:55 |
| S15 7 | 0 | ((uniterruptible adj power adj supply) and (SNMP)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/18 15:56 |
| S15 8 | 4863 | ((uniterruptible adj power adj supply) (UPS)) and (SNMP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/18 16:07 |
| S15 9 | 1592 | ((uniterruptible adj power adj supply) (UPS)) and (SNMP) and (MIB) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/18 15:57 |
| S16 0 | 0 | ((uniterruptible adj power adj supply)) and (SNMP) and (MIB) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/18 15:58 |
| S16 1 | 0 | ((uniterruptible near3 power near3 supply)) and (SNMP) and (MIB) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/18 15:58 |
| S16 2 | 0 | ((uniterruptible near3 power near3 (source system supply))) and (SNMP) and (MIB) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/18 15:59 |
| S16 3 | 0 | ((uniterruptible near3 power near3 (source system supply))) and (MIB) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/18 15:59 |

| | | | | | | |
|----------|-------|---|---|----|----|------------------|
| S16 4 | 0 | ((uninterruptible adj power adj supply) (UPS)) and (SNMP)and (manag\$5 monitor\$5) near10 (power) near10 (network) near5 (device) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/18 16:08 |
| S16 5 | 0 | (SNMP)and (manag\$5 monitor\$5) near10 (power) near10 (network) near5 (device) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/18 16:08 |
| S16 6 | 79 | ((uninterruptible adj power adj supply) (UPS)) and (SNMP)and (manag\$5 monitor\$5) near10 (power) near10 (network) near5 (device) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/18 16:08 |
| S16 7 | 184 | ((dry-contact) (dry near3 contact)) near5 (relay) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/22 08:43 |
| S16 8 | 2 | "4709339".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/22 08:27 |
| S16 9 | 4 | ((dry-contact) (dry near3 contact)) near5 (relay) and (SNMP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/22 08:44 |
| S17 0 | 15 | ("20010003206" "20020007464" "20020024332" "20020116139" "20020133728" "20020178387" "20020194517" "20030005339" "20030009705" "4611289" "5534734" "5784628" "5949974" "6219795" "6445088").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/02/22 08:49 |
| S17 1 | 1 | (10/758117) and (ewing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/22 10:03 |
| S17 2 | 2 | "5909180".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/22 13:29 |
| S17 3 | 2 | "5651006".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/22 15:25 |
| S17 4 | 2 | "4709339".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/22 16:36 |
| S17 5 | 14510 | (receptacle outlet plug) near5 (controller manager monitor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 09:01 |

| | | | | | | |
|----------|------|---|---|----|----|------------------|
| S17 6 | 98 | S175 and (power near4 (strip)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/22 16:40 |
| S17 7 | 139 | (receptacle outlet plug) near5 (controller manager monitor) and (SNMP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 07:55 |
| S17 8 | 3 | (receptacle outlet plug) near5 (controller manager monitor) and ((power voltage current AC) near5 (load state) near5 (sensor)) and (SNMP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 09:13 |
| S17 9 | 98 | (receptacle outlet plug) near5 (controller manager monitor) and ((power voltage current AC) near5 (load state) near5 (sensor)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 09:29 |
| S18 0 | 2 | "6507273".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 08:05 |
| S18 1 | 2 | "6445087".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 09:32 |
| S18 2 | 2 | "6476729".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 09:33 |
| S18 3 | 3 | "4216384".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 09:45 |
| S18 4 | 3 | "539540".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 09:37 |
| S18 5 | 2 | "5359540".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 09:39 |
| S18 6 | 5180 | (power)near5(microcontroller) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 09:40 |

| | | | | | | |
|----------|------|---|---|----|----|------------------|
| S18 7 | 124 | S186 and (Load) near5 (sensor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 13:02 |
| S18 8 | 2 | "5873532".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 16:02 |
| S18 9 | 2 | "5872832".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 09:46 |
| S19 0 | 1117 | ((optical opto) near2 (iso isolator)) and (power load current) near5 (sensor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 13:04 |
| S19 1 | 8 | ((optical opto) near2 (iso isolator)) and (power load current) near5 (sensor) and (SNMP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 13:20 |
| S19 2 | 88 | ((optical opto) near2 (iso isolator))near10 (power load current) near5 (sensor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 14:19 |
| S19 3 | 45 | ((power) near (strip housing bar brick tap)) and (SNMP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 14:20 |
| S19 4 | 2 | "6055268".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 17:05 |
| S19 5 | 0 | (dynamica\$5) near5 (chang\$5 negotiat\$5 alter\$5) near5 (transmission) near5 (rate) same (depend\$5 evaluat\$5) near10 (protocol) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 06:42 |
| S19 6 | 0 | (dynamica\$5) near5 (chang\$5 negotiat\$5 alter\$5) near5 (transmission) near5 (rate) near20 (protocol) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 06:43 |
| S19 7 | 84 | (chang\$5 negotiat\$5 alter\$5) near5 (transmission) near5 (rate) near20 (protocol) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 07:35 |

| | | | | | | |
|----------|------|---|---|----|----|------------------|
| S19 8 | 26 | (chang\$5 negotiat\$5 alter\$5) near5 (transmission) near5 (rate) near20 (protocol) and (DSL) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 07:40 |
| S19 9 | 2 | (reynolds) and (10/431333) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 07:52 |
| S20 0 | 812 | fail near5 safe near20 (power near2 supply) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 07:54 |
| S20 1 | 146 | fail near5 safe near20 (power near2 supply) and (microcontroller processor CPU) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 07:58 |
| S20 2 | 0 | fail near5 safe near20 (power near2 supply) and (redundant) near5 (microcontroller processor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 07:58 |
| S20 3 | 2325 | (redundant) near5 (microcontroller processor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 07:58 |
| S20 4 | 1 | D462658.pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 08:05 |
| S20 5 | 1 | (relay) near10 (on off close open) near10 (outlet receptacle plug NEMA) and (synchroniz\$5) near5 (pulse) near5 (generator) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 09:49 |
| S20 6 | 287 | (synchroniz\$5) near5 (pulse) near5 (generator) and ((zero-crossing) (zero near5 crossing)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 09:54 |
| S20 7 | 175 | (synchroniz\$5) near5 (pulse) near5 (generator) and ((zero-crossing) (zero near5 crossing)) and (sens\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 11:35 |
| S20 8 | 630 | (outlet receptacle) near10 (Power voltage) near10 (sensor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 11:36 |

| | | | | | | |
|------|-----|---|---|----|----|------------------|
| S209 | 107 | (outlet recepticle) near3 (Power voltage) near3 (sensor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 13:05 |
| S210 | 0 | S208 and (power near5 strip) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 11:37 |
| S211 | 2 | "5768385".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 13:05 |
| S212 | 1 | "4996711".PN. | USPAT; USOCR | OR | ON | 2005/02/24 13:38 |
| S213 | 2 | "5359540".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 15:55 |
| S214 | 2 | "5979974".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 13:33 |
| S215 | 2 | "5949974".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 13:37 |
| S216 | 2 | "6711613".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 13:49 |
| S217 | 3 | (09/732557) and (Ewing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 13:39 |
| S218 | 0 | (power near2 distribut\$5) and (outlet near4 load near4 sensor) and (ambient near3 temperature near4 sensor) and (TCP/IP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 13:44 |
| S219 | 12 | (power near2 distribut\$5) and (load near4 sensor) and (ambient near3 temperature near4 sensor) and (TCP/IP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 13:44 |
| S220 | 15 | (remot\$5) near8 (manag\$5 monitor\$5 control\$7) near8 (rack) near10 (power) and (TCP/IP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 15:06 |

| | | | | | | |
|----------|-----|---|---|----|----|------------------|
| S22 1 | 2 | "4181886".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 14:06 |
| S22 2 | 0 | (remot\$5) near4 (sens\$5) near4 (electrical) near4 (outlet) near4 (load) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 14:11 |
| S22 3 | 2 | (sens\$5) near4 (electrical) near4 (outlet) near4 (load) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 14:14 |
| S22 4 | 0 | (Optical\$) near10 (electrical) near4 (outlet) near4 (load) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 15:03 |
| S22 5 | 10 | (detect\$5) near4 (electrical) near4 (outlet) near4 (load) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 14:17 |
| S22 6 | 128 | (detect\$5) near4 (outlet) near4 (load) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 14:36 |
| S22 7 | 4 | ("4853823" "4977515" "5910784" "6211581").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/03 14:18 |
| S22 8 | 2 | "5396635".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 14:37 |
| S22 9 | 37 | (henry near3 fung) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 14:37 |
| S23 0 | 0 | (Optical\$) near4 (outlet) near4 (load) near4 (sensor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 15:05 |
| S23 1 | 15 | 713/310,330,340.ccls. and (remot\$5) near8 (manag\$5 monitor\$5 control\$7) near10 (power) and (TCP/IP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 15:11 |
| S23 2 | 14 | ("20020198627" "4479228" "5679985" "5734373" "6018204" "6047222" "6081752" "6383076" "6389546" "6476521" "6493243" "6496342" "6522955" "6653821").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/03 15:07 |

| | | | | | | |
|----------|------|---|---|----|----|------------------|
| S23 3 | 0 | 340/693.1,638,639.ccls. and (remot\$5) near8 (manag\$5 monitor\$5 control\$7) near10 (power) and (TCP/IP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 15:12 |
| S23 4 | 0 | 361/622,623,624,625,626.ccls. and (remot\$5) near8 (manag\$5 monitor\$5 control\$7) near10 (power) and (TCP/IP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 15:12 |
| S23 5 | 40 | 709/223,224.ccls. and (remot\$5) near8 (manag\$5 monitor\$5 control\$7) near10 (power) and (TCP/IP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 15:27 |
| S23 6 | 26 | (AC power) near5 (strip brick module distributor) same (outlet receptacle) same (load) same (sensor detector initiator) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 15:41 |
| S23 7 | 37 | ("3707697" "4100426" "4113334" "4318156" "4395640" "4427253" "4684186" "4705342" "4876713" "4930047" "5157273" "5164609" "5278771" "5292257" "5334033" "5347167" "5350310" "5359540" "5424903" "5429518" "5430598" "5463663" "5579201" "5582522" "5649839" "5658158" "5780775" "D216887" "D217251" "D290835" "D304324" "D350916" "D350917" "D354731" "D356544").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/03 15:34 |
| S23 8 | 261 | (AC power) near5 (strip brick module distributor) same (outlet receptacle) same (power) same (sensor detector initiator) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 15:52 |
| S23 9 | 2 | "6523068".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/03 15:55 |
| S24 0 | 3180 | (electrical) near4 (current voltage) near4 (sens\$5) same (module device) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 06:49 |
| S24 1 | 239 | (electrical) near4 (current voltage) near4 (sens\$5) same (module device) and (power) near5 (distribution strip brick tap) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 08:42 |
| S24 2 | 38 | ("1308068" "1329243" "1662083" "2234747" "2330638" "2420881" "2734160" "2740079" "2745049" "2919393" "3504256" "4300182" "5483153" "5495157" "5525874" "5604425" "5651667" "5664202" "5788004" "5878189" "5898282" "5939794" "6157555" "6208931" "6296636" "6359410" "6429728").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/21 07:35 |
| S24 3 | 8 | ("4591942" "4672501" "4914541" "4992723" "5583732" "5615075" "5726846" "6141197").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/21 08:16 |
| S24 4 | 14 | ("4208630" "4279012" "4342986" "4454509" "4881070" "4962522" "4967194" "5089814" "5254908" "5528507" "5590179" "5886647" "5897607" "5898384").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/21 08:25 |

| | | | | | | |
|----------|-----|---|---|----|----|------------------|
| S24 5 | 4 | (TCP/IP) same (on/off (on and off)) and (power) near5 (distribution strip brick tap) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 08:54 |
| S24 6 | 2 | "6507273".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 09:24 |
| S24 7 | 12 | ("4686380" "5031082" "5430430" "5471190" "5530896" "5565855" "5815652" "6005476" "6121593" "6211782" "6229433" "6275922").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/21 08:44 |
| S24 8 | 232 | (SNMP) and (power) near5 (distribution strip brick tap) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 13:13 |
| S24 9 | 2 | "5949974".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 09:01 |
| S25 0 | 6 | ("4787011" "6078503" "6169249" "6229691" "6301095" "6331933").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/21 09:03 |
| S25 1 | 15 | ("20010003206" "20020007464" "20020024332" "20020116139" "20020133728" "20020178387" "20020194517" "20030005339" "20030009705" "4611289" "5534734" "5784628" "5949974" "6219795" "6445088").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/21 09:04 |
| S25 2 | 225 | (SNMP) and (power) near5 (distribution strip) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 09:29 |
| S25 3 | 0 | (SNMP) same (control\$5 manag\$% monitor\$5) same (power) same (rack adj mount) same (power) near4 (strip distribut\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 09:16 |
| S25 4 | 34 | (rack adj mount) same (power) near4 (strip distribut\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 09:18 |
| S25 5 | 7 | (ewing) and (08/685436) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 09:19 |
| S25 6 | 2 | "4647721".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 10:42 |
| S25 7 | 2 | "4686526".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 09:25 |

| | | | | | | |
|----------|-----|---|---|----|----|------------------|
| S25 8 | 2 | "5003578".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 09:25 |
| S25 9 | 2 | "5051720".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 09:25 |
| S26 0 | 3 | (henry near3 feng).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 09:26 |
| S26 1 | 223 | (SNMP) and (power) near5 (distribution) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 09:32 |
| S26 2 | 11 | (SNMP) same (power) near5 (distribution) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 09:40 |
| S26 3 | 2 | (Fung) and (09/860995) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 09:41 |
| S26 4 | 2 | "5949974".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 10:44 |
| S26 5 | 4 | (ewing) and (09/375471) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 10:44 |
| S26 6 | 5 | "307"/\$.ccls. and (SNMP) and (power) near5 (distribution strip brick tap) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/21 13:13 |

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((('power strip'<in>metadata) <and> (display<in>metadata))) <and> (p..."

☒ e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2005 IEEE - All rights reserved.

Indexed by
 Inspec®

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((power strip<in>metadata) <and> (display<in>metadata))) <and> (pyr &..."

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)

Modify Search

[New Search](#)☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2005 IEEE --

Indexed by
 Inspec


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((power strip<ln>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)"

e-mail

Your search matched 5 of 1293212 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((power strip<ln>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)

☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

Indicates full text access

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

**1. Spurious effects Induced by current switching in power strips of wafer pa**

Chilo, J.; Fort, P.;
Components, Hybrids, and Manufacturing Technology, IEEE Transactions on [Trans. on Components, Packaging, and Manufacturing Technology, Part A, B, Volume 13, Issue 4, Dec. 1990 Page(s):1110 - 1114
Digital Object Identifier 10.1109/33.62559

[Abstract](#) | Full Text: [PDF\(312 KB\)](#) IEEE JNL**2. Studies on the high-temperature superconductor (HTS)/metal/polymer die interconnect structure for packaging applications**

Paik, K.W.; Mogro-Campero, A.;
Components, Packaging, and Manufacturing Technology, Part B: Advanced Packaging, IEEE Transactions on [see also Components, Hybrids, and Manufacturing Technology, Part A, B, Volume 17, Issue 3, Aug. 1994 Page(s):435 - 441
Digital Object Identifier 10.1109/96.311794

[Abstract](#) | Full Text: [PDF\(732 KB\)](#) IEEE JNL**3. Parasitic effects induced by power strips current switching in full wafer p**

Chilo, J.; Angenieux, G.;
Microwave Symposium Digest, 1989., IEEE MTT-S International Microwave Symposium Digest, 1989, IEEE MTT-S International
13-15 June 1989 Page(s):1259 - 1262 vol.3
Digital Object Identifier 10.1109/MWSYM.1989.38955

[Abstract](#) | Full Text: [PDF\(112 KB\)](#) IEEE CNF**4. A numerical investigation of conjugate heat transfer from a flush heat source on a conductive board in laminar channel flow**

Sugavanam, R.; Ortega, A.; Choi, C.Y.;
Thermal Phenomena in Electronic Systems, 1994. I-THERM IV. 'Concurrent Electronic Thermal Phenomena', InterSociety Conference on Thermal Phenomena, 4-7 May 1994 Page(s):62 - 72
Digital Object Identifier 10.1109/ITHERM.1994.342913


[Abstract](#) | Full Text: [PDF\(880 KB\)](#) IEEE CNF**5. Studies on the high temperature superconductor (HTS)/metal/polymer die interconnect structure for packaging applications**

Paik, K.W.; Mogro-Campero, A.;
Electronic Components and Technology Conference, 1994. Proceedings., 44th Electronic Components and Technology Conference, 1994. Proceedings., 44th

1-4 May 1994 Page(s):362 - 366

Digital Object Identifier 10.1109/ECTC.1994.367563

[Abstract](#) | Full Text: [PDF](#)(488 KB) IEEE CNF



[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE -


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before December 2001

Terms used **power strip**

Found 4 of 123,479

Sort results by

Display results


[Save results to a Binder](#)

[Search Tips](#)
☐ Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 4 of 4

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Can recursive bisection alone produce routable placements?](#)



Andrew E. Caldwell, Andrew B. Kahng, Igor L. Markov

 June 2000 **Proceedings of the 37th conference on Design automation**

Publisher: ACM Press

 Full text available: [pdf\(106.04 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This work focuses on congestion-driven placement of standard cells into rows in the fixed-die context. We summarize the state-of-the-art after two decades of research in recursive bisection placement and implement a new placer, called Capo, to empirically study the achievable limits of the approach. From among recently proposed improvements to recursive bisection, Capo incorporates a leading-edge multilevel min-cut partitioner [7], techniques for partitioni ...

2 [Using information system technology to coordinate specialized services for the elderly](#)



W. Looman, L. Noelker, G. Deimling

 August 1990 **ACM SIGCAS Computers and Society , Proceedings of the conference on Computers and the quality of life CQL '90**, Volume 20 Issue 3

Publisher: ACM Press

 Full text available: [pdf\(866.81 KB\)](#)

 Additional Information: [full citation](#), [index terms](#)

3 [Notes on constructing a parallel computing platform](#)



Jodie Kok, Elizabeth Elzinga, Greg Wolffe

 October 2001 **Journal of Computing Sciences in Colleges**, Volume 17 Issue 1

Publisher: Consortium for Computing Sciences in Colleges


 Full text available: [pdf\(42.72 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Parallel computing is an interesting and important topic that spans several different areas of the computer science curriculum, such as networking, architecture and programming. With the proliferation of open-source software and the availability of inexpensive computer components, it has now become feasible for small colleges and non-research institutions to create parallel computing platforms. In this article we describe the construction of a dedicated computing cluster and the educational bene ...





4 [Starting a university microcomputer maintenance program](#)

Roger N. Addelson, Don M. Wee

September 1986 **Proceedings of the 14th annual ACM SIGUCCS conference on User services: setting the direction****Publisher:** ACM PressFull text available:  [pdf\(2.73 MB\)](#) Additional Information: [full citation](#), [citations](#), [index terms](#)

Results 1 - 4 of 4

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)

allinanchor: "Rack mount power strip" "current"

[Search](#)[Advanced Search](#)
[Preferences](#)

Web

Rack Mount Products

www.chassisplans.com **Rack Mount Computers, Keyboards, Monitors & Single Board Computers**

Rack Mount Power Strip

RackSolutions.com 19": \$54.95, In stock 20 Options, Horizontal, Vertical

Tip: Try removing quotes from your search to get more results.

Your search - **allinanchor: "Rack mount power strip" "current display"** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

Sponsored Links

Sponsored Links

Display Stands & Holders

Huge Catalog of P.O.P Displays
Ready to Ship Today- Live Inventory
www.displays2go.com

Rack Mount Power

Remote **rack mount power** management
Standard & custom **power** solutions
www.specpower.com

Rack Level PDU's

Vertical, **Rack Mount**, High Density,
Remote Access, **Current** Monitoring
www.datacenterresources.com

Display Rack

Directory of Makers and Retailers
of **Display Cases** and **Racks**
www.business.com

Power Strip Liberator

Save space while increasing your
power with **Power Strip Liberator**s!
www.CableOrganizer.com

Acrylic Display & Holder

Rock Bottom Competitive Prices.
Stock/Custom items. Fast Shipping
www.CustomCreativePlastics.com

Gondola Shelving & Racks

Sale Prices & Specs & Photos
Free Delivery, In Stock, Quick Ship
www.anytimeproducts.com


Map Rail Sale

Low Prices on Map, Cork and
Display Rails. Huge Selection!
www.White-Boards-and-More.com

[More Sponsored Links »](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)

allinanchor: "Rack mount" "power strip" "current display"

[Search](#)[Advanced Search](#)
[Preferences](#)

Web

Rack Mount Products

www.chassisplans.com **Rack Mount Computers, Keyboards, Monitors & Single Board Computers**

Rack Mount Power Strip

RackSolutions.com 19": \$54.95, In stock 20 Options, Horizontal, Vertical

Sponsored Links

Sponsored Links

Display Stands & Holders

Huge Catalog of P.O.P Displays
Ready to Ship Today- Live Inventory
www.displays2go.com

Rack Mount Power

Remote **rack mount power** management
Standard & custom **power** solutions
www.specpower.com

Rack Level PDU's

Vertical, **Rack Mount**, High Density,
Remote Access, **Current** Monitoring
www.datacenterresources.com

Display Rack

Directory of Makers and Retailers
of **Display** Cases and Racks
www.business.com

US Display Stands 2005

Discount Eye Catching Stands
Great Designs For Any Purpose
us.price-paradise.com

Power Strip Liberator

Save space while increasing your
power with **Power Strip** Liberators!
www.CableOrganizer.com

Acrylic Display & Holder

Rock Bottom Competitive Prices.
Stock/Custom items. Fast Shipping
www.CustomCreativePlastics.com

Map Rail Sale

Low Prices on Map, Cork and
Display Rails. Huge Selection!
www.White-Boards-and-More.com

[More Sponsored Links »](#)

Tip: Try removing quotes from your search to get more results.

Your search - **allinanchor: "Rack mount" "power strip" "current display"** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google